



Testmaster Testing  
 3060 S Church Street  
 Burlington, NC 27215

Phone: 336-436-2762

Specimen Number <b>239-988-9503-0</b>		Patient ID		Control Number	Account Number 90000999	Account Phone Number 336-436-8645	Route 00
<b>SAMPLE REPORT</b>				Account Address			
Patient Last Name				LabCorp Test Master			
Patient First Name <b>001610</b>		Patient Middle Name		Test Account			
Patient SS#		Patient Phone		3060 South Church Street			
Age (Y/M/D) 56/07/25		Date of Birth 01/01/60		Sex M		Fasting	
Patient Address				Additional Information			
				NORMAL REPORT			
Date and Time Collected 08/26/16 00:00		Date Entered 08/26/16		Date and Time Reported		Physician Name	
						NPI	
						Physician ID	

Tests Ordered						
Fibrinogen Activity						

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
<b>Fibrinogen Activity</b>	257		mg/dL	193 - 507	01

01	BN	LabCorp Burlington	Dir: William F Hancock, MD
		1447 York Court, Burlington, NC 27215-3361	
For inquiries, the physician may contact <b>Branch: 800-222-7566 Lab: 336-436-2762</b>			

<b>SAMPLE REPORT, 001610</b>		<b>239-988-9503-0</b>	Seq # 0000
------------------------------	--	-----------------------	------------

08/31/16 17:42 ET

**DUPLICATE FINAL REPORT**

Page 1 of 1

This document contains private and confidential health information protected by state and federal law.

©2004-16 Laboratory Corporation of America ® Holdings

If you have received this document in error, please call 800-222-7566

All Rights Reserved

DOC1 Ver: 1.49



Testmaster Testing  
 3060 S Church Street  
 Burlington, NC 27215

Phone: 336-436-2762

Specimen Number <b>239-988-9504-0</b>		Patient ID		Control Number	Account Number 90000999	Account Phone Number 336-436-8645	Route 00
<b>SAMPLE REPORT</b>				Account Address			
Patient Last Name				LabCorp Test Master			
Patient First Name <b>001610</b>		Patient Middle Name		Test Account			
Patient SS#		Patient Phone		3060 South Church Street			
Age (Y/M/D) 56/07/25		Date of Birth 01/01/60		Sex M		Fasting	
Patient Address				Additional Information			
				ABNORMAL REPORT			
Date and Time Collected 08/26/16 00:00		Date Entered 08/26/16		Date and Time Reported		Physician Name	Physician ID

Tests Ordered							
Fibrinogen Activity							

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
<b>Fibrinogen Activity</b>	<b>550</b>	<b>High</b>	mg/dL	193 - 507	01
Abnormal result has been verified by repeat testing. If inconsistent with clinical condition, please resubmit another specimen for verification and to rule out specimen handling problems for which this test is very sensitive.					

01	BN	LabCorp Burlington	Dir: William F Hancock, MD
		1447 York Court, Burlington, NC 27215-3361	
For inquiries, the physician may contact <b>Branch: 800-222-7566 Lab: 336-436-2762</b>			

<b>SAMPLE REPORT, 001610</b>		<b>239-988-9504-0</b>	Seq # 0000
------------------------------	--	-----------------------	------------

08/31/16 17:43 ET

**DUPLICATE FINAL REPORT**

Page 1 of 1

This document contains private and confidential health information protected by state and federal law.

©2004-16 Laboratory Corporation of America ® Holdings

If you have received this document in error, please call 800-222-7566

All Rights Reserved

DOC1 Ver: 1.49