



LabCorp Dublin  
6370 Wilcox Road  
Dublin, OH 43016-1269

Phone: 800-282-7300

Specimen Number <b>354-127-9526-0</b>		Patient ID		Control Number	Account Number 90000045	Account Phone Number 336-436-8645	Route 00
<b>SAMPLE REPORT</b>				Account Address LabCorp Test Master			
Patient First Name <b>500604</b>		Patient Middle Name		Test Account			
Patient SS#		Patient Phone		3060 South Church Street			
Age (Y/M/D)		Date of Birth		Sex N	Fasting		
Patient Address				Additional Information Burlington NC 27215			
Date and Time Collected 12/19/16 00:00		Date Entered 12/19/16		Date and Time Reported		Physician Name	NPI
						Physician ID	

Markers of Coag. Activation		Tests Ordered	
-----------------------------	--	---------------	--

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
-------	--------	------	-------	--------------------	-----

**Markers of Coag. Activation**

D-Dimer Quant. (Automated) 0.40 ug/mL FEU 01

Results reported in FEU. Using a cut off value of 0.5 ug/ml FEU, this test can be used as an aid in the diagnosis of venous thrombosis. This assay is not FDA approved for the exclusion of venous thrombosis.

Reference Range:

<0.50

Prothrombin Fragment 1+2 MoAb

150 pmol/L 01

Pre-analytical conditions such as a difficult draw may spuriously increase test results.

Reference Range:

87 - 325

Thrombin Antithrombin Complex

4.2 ng/mL 01

Pre-analytical conditions such as a difficult draw may spuriously increase test results.

Reference Range:

<4.3

01	UY	Esoterix Coagulation Lab	Dir: Dorothy Adcock, MD
		8490 Upland Drive Ste 100, Englewood, CO 80112-7116	
For inquiries, the physician may contact <b>Branch: 800-222-7566 Lab: 800-282-7300</b>			

<b>SAMPLE REPORT, 500604</b>		<b>354-127-9526-0</b>	Seq # 0000
------------------------------	--	-----------------------	------------

12/29/16 10:53 ET

**DUPLICATE FINAL REPORT**

Page 1 of 1

This document contains private and confidential health information protected by state and federal law.

If you have received this document in error, please call 800-762-4344

©2004-16 Laboratory Corporation of America ® Holdings

All Rights Reserved

DOC1 Ver: 1.49



LabCorp Dublin  
6370 Wilcox Road  
Dublin, OH 43016-1269

Phone: 800-282-7300

Specimen Number <b>354-127-9527-0</b>		Patient ID		Control Number	Account Number 90000045	Account Phone Number 336-436-8645	Route 00
<b>SAMPLE REPORT</b>				Account Address LabCorp Test Master			
Patient First Name <b>500604</b>		Patient Middle Name		Test Account			
Patient SS#		Patient Phone		3060 South Church Street			
Age (Y/M/D)		Date of Birth		Sex N	Fasting		
Patient Address				Additional Information ABNORMAL			
Date and Time Collected 12/19/16 00:00		Date Entered 12/19/16		Date and Time Reported		Physician Name	NPI
						Physician ID	

Markers of Coag. Activation		Tests Ordered	
-----------------------------	--	---------------	--

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
-------	--------	------	-------	--------------------	-----

**Markers of Coag. Activation**

**D-Dimer Quant. (Automated)**      **2.50**      **High**      ug/mL FEU      01

Results reported in FEU. Using a cut off value of 0.5 ug/ml FEU, this test can be used as an aid in the diagnosis of venous thrombosis. This assay is not FDA approved for the exclusion of venous thrombosis.

Reference Range:  
<0.50

**Prothrombin Fragment 1+2 MoAb**      **375**      **High**      pmol/L      01

Pre-analytical conditions such as a difficult draw may spuriously increase test results.

Reference Range:  
87 - 325

**Thrombin Antithrombin Complex**      **8.6**      **High**      ng/mL      01

Pre-analytical conditions such as a difficult draw may spuriously increase test results.

Reference Range:  
<4.3

01	UY	Esoterix Coagulation Lab	Dir: Dorothy Adcock, MD
		8490 Upland Drive Ste 100, Englewood, CO 80112-7116	
For inquiries, the physician may contact <b>Branch: 800-222-7566</b> <b>Lab: 800-282-7300</b>			

<b>SAMPLE REPORT, 500604</b>		<b>354-127-9527-0</b>	Seq # 0000
------------------------------	--	-----------------------	------------

12/29/16 10:53 ET

**DUPLICATE FINAL REPORT**

Page 1 of 1

This document contains private and confidential health information protected by state and federal law.

If you have received this document in error, please call 800-762-4344

©2004-16 Laboratory Corporation of America ® Holdings

All Rights Reserved

DOC1 Ver: 1.49